


Beautiful outdoor living built for life.®



# Table of Contents



Introduction | 4-5



Why Fiberon | 6 - 7



Fiberon Balance | 8 - 9



Decking | 10 - 27




Railing | 28 - 39



Accessories | 40 - 47



# The Aut of Outdoor Living



# Find your joy.

From early morning sunrises to stargazing on a warm summer's night, your outdoor living space is where the world slows down, and simple moments become treasured memories. Whether relaxing alone, gathering with family or celebrating with friends, an inspired, multi-functional outdoor space acts as an extension of your home, allowing you to reconnect with nature while experiencing the comfort of the indoors.

We're passionate about helping you create a meaningful outdoor living space – one that combines beautiful details with sustainable design. When you choose Fiberon, you're choosing beautiful outdoor living built for life.





# Who we are.

## Helpful, credible experts.

Whether it's finding the perfect board colour or providing tips on selecting a contractor, Fiberon is here to help. We offer straightforward information and honest advice so you can make the best decisions for your unique space.

# Local roots, global reach.

Fiberon® products are made in the United States, both in our home state of North Carolina and in Idaho. From these two locations, we distribute throughout North America and to more than two dozen countries in Europe, Asia, Africa, Australia, and Central and South America.



# Why we do it.

### Longer lifespan, lower cost of ownership.


From replacing splintered boards to reapplying stain or paint, the average pressure-treated decking needs a lot of maintenance. Dealing with this maintenance can cost hundreds of pounds each year, not to mention the time spent refinishing and repairing old boards. A Fiberon composite deck?

Minimal annual maintenance costs and a high-end look that lasts.

# Safe for your family, safe for the environment.

Our composites are manufactured using sustainable processes and are free of toxic chemicals. And, unlike wood, they prevent further deforestation.

Visit fiberonbalance.com to find out more.





96%
Good Life Decking

**94%** Concordia<sup>™</sup> Decking

95% Sanctuary® Decking

Time is one of your most valuable resources and Fiberon® composite decking is nearly maintenance-free. Unlike Fiberon composite decking, wooden decking starts with the chemicals used to pressure treat the timber and needs to be refinished with more chemicals every year or two. That's a lot of energy (mostly yours). Instead of staining and sealing, we think the most truly sustainable story is one that ends with you, spending time with your family, on your beautiful new Fiberon composite decking.

# The science behind sustainable outdoor living.



**Trees are beautiful.** About half of what's in our decking comes from recycled wood — sawdust and leftover material that would otherwise be discarded.

- The average wooden decking area uses about 11 Southern Yellow Pine trees (46.5 sq. m.).
- Each year, Fiberon saves more than one million trees from being cut down.

  That's equal to 8,300 football pitches worth of healthy forest.



**Plastic lasts a lifetime... or ten.** The other half of the core of our decking boards comes from recycled plastic. Think grocery bags and recycled packaging material.

- Fiberon incorporates the equivalent of 2,000 plastic bags into each board.
- Each year, Fiberon puts an average of 45 million kilograms of recycled plastic to good use.



**Resourceful to the last drop.** Manufacturing composite decking requires a constant source of water. The good news? We reuse almost all of it with our closed-loop system.

- Fiberon's closed-loop water system pumps over 13 million cubic metres of water each year.
- Fiberon recycles the equivalent of 5,300 Olympic-sized swimming pools of water annually.



**Don't waste a thing.** We reuse 98.5% of the waste from our manufacturing process — from misfit boards to router shavings. Every day.












Through Fortune Brands Home & Security, we're partnering with the US National Forest Foundation in their effort to plant 50 million trees.

9




# Decking

Make every weekend count.

At Fiberon we believe that decking is meant to be enjoyed, not maintained. Our WPC and PVC decking won't warp, rot or splinter, so the look you love today will be there tomorrow.

Wooden decking simply can't compare.



























Evoke the feeling of luxurious living with Promenade PVC decking. Promenade offers the aesthetic of high-end, handcrafted wooden decking, with the benefits of premium PVC.

- Boards feature four-sided capping, streaking on the unembossed underside and a next-generation surface coating for superior weather resistance and durability.
- The slip-resistant\* surface texture is ideal for docks, marinas and other waterside applications.
- Synthetic solid core construction provides protection from cracks, splinters and mould.
- The lightweight, easy-to-handle boards float, making them easy to install in or under water.
- Tested for use in fresh water, salt water and chlorinated water environments, and suitable for use in installations that may be submerged in water, such as dock and pool stairs.
- Boards won't warp or swell when submerged in water, even after being cut.
- When tested against wood or composite boards,
   Promenade resisted mould, water absorption and discolouration better than the rest.
- FSI15, meets Class A fire requirements in ASTM E84 testing.

Square Edge = 26 mm x 140 mm Lengths: 2.44 m, 3.66 m and 4.88 m

) (

Grooved Edge = 26 mm x 140 mm Lengths: 2.44 m, 3.66 m and 4.88 m

Fascia: 12 mm x 298 mm x 3.66 m

\*Achieved 0.80 average dry/0.75 average wet as tested using ASTM F1679.

Note: Matching fascias available in all colours. PVC boards should be removed from water sources where a freeze/thaw cycle may occur.



13



# Elevated performance.

Discover high-performance, low-maintenance decking that suits a busy, active lifestyle. Paramount® PVC decking outperforms the competition where it matters most.

The new Hearth Collection combines durability and style, featuring a palette of multi-tonal colour options, ensuring you'll find the right look for your project.

**Hearth Collection** features two stunning multichromatic hues – Brownstone and Sandstone.

- Exceptional slip resistance when wet or dry.\*
- The lightweight, easy-to-handle boards float, making them easy to install in or under water.
- Tested for use in fresh water, salt water and chlorinated water environments, and suitable for use in installations that may be submerged in water, such as dock and pool stairs.
- Boards won't warp or swell when submerged in water, even after being cut.
- When tested against wood or composite boards,
   Paramount resisted mould, water absorption and discolouration better than the rest.
- FSI15, meets Class A fire requirements in ASTM E84 testing.

Square Edge = 25 mm x 138 mm Lengths: 2.44 m, 3.66 m and 4.88 m




Grooved Edge = 25 mm x 138 mm Lengths: 2.44 m, 3.66 m and 4.88 m


\*Achieved 0.80 average dry/0.75 average wet as tested using ASTM F1679.

Note: PVC boards should be removed from water sources where a freeze/thaw cycle may occur.











Take time to unwind with Fiberon® Good Life decking. Perfect for hosting neighbourhood gatherings, enjoying a summer dinner with your family or relaxing outside after a long week, Good Life offers unbeatable performance and durability for any decking project.

**Escapes Collection** features multi-tonal colours that resemble exotic hardwoods.

Weekender Collection features solid colours for a traditional stained decking look. Durable, longlasting and closer in price to wood.

- Authentic wooden look features distinct grain patterns.
- Contains 96% recycled content.
- Composite construction prevents splintering, cracking and decay. Three-sided cap layer resists staining and fading.
- Low maintenance and easy to clean.
- Features a highly slip-resistant surface.\*

Square Edge = 23 mm x 133 mm Lengths: 2.44 m, 3.66 m and 4.88 m

Grooved Edge = 23 mm x 133 mm Lengths: 2.44 m, 3.66 m and 4.88 m

Fascia: 19 mm x 283 mm x 3.66 m

Riser board: 19 mm x 184 mm x 3.66 m

### Escapes Collection

















<sup>\*</sup>Achieved R12 as tested using DIN 51130:2014. Note: Matching fascias and risers are available in all colours.

# Technical Specifications

	PVC		WPC Composite			
Decking	Promenade	Paramount <sup>®</sup>	Concordia <sup>™</sup>	Sanctuary®	Good Life	
Board Profile Dimensions	Flat bottom 26 mm x 140 mm	Flat bottom 25 mm x 138 mm	Flat bottom 23 mm x 136 mm	Flat bottom 23 mm x 133 mm	Relief bottom 23 mm x 133 mm	
Square-Edge Profile						
Grooved-Edge Profile						
Reversible	No	No	Yes	No	No	
Material	Cellular foam polymer with co-extruded cap on four sides	Cellular foam polymer with co-extruded cap on four sides	Wood-plastic composite core with co-extruded PermaTech cap on four sides	Wood-plastic composite core with co-extruded PermaTech cap on three sides	Wood-plastic composite core with co-extruded cap on three sides	
Multi-Tonal	Natural Reef, Russet Dune, Sandy Pier, Shaded Cay, Weathered Cliff and Moonlit Cove	Brownstone and Sandstone	Burnt Umber, Cinnabar, Graphite, Warm Sienna, Ipe, Castle Gray, Rosewood and Tudor Brown	Espresso, Latte, Earl Grey, Moringa and Chai	Beach House, Bungalow, Tuscan Villa and Cabana	
Solid Colours	N/A	N/A	N/A	N/A	Cabin and Cottage	
Limited Performance Warranty	Lifetime	Lifetime	Lifetime	40-year	Escapes 30-year Weekender 25-year	
Stain and Fade Warranty	50-year	50-year	50-year	40-year	Escapes 30-year Weekender 25-year	
Square-Edge Lengths	2.44 m, 3.66 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	2.44 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	
Grooved-Edge Lengths	2.44 m, 3.66 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	2.44 m, 3.66 m and 4.88 m	
Span Limitations Perpendicular to joist: Up to 45-degree angle to joist: Stair tread spacing:	406 mm 305 mm 610 mm*	406 mm 305 mm 610 mm*	406 mm 305 mm 305 mm	406 mm 305 mm 305 mm	406 mm 305 mm 305 mm	
Fascia Available	12 mm x 298 mm x 3.66 m Matching colours	N/A	19 mm x 283 mm x 3.66 m Matching colours	19 mm x 284 mm x 3.66 m Matching colours	19 mm x 283 mm x 3.66 m Matching colours	
Risers Available	No	No	No	19 mm x 184 mm x 3.66 m All colours	19 mm x 184 mm x 3.66 m All colours	

iascia anu riser Doards.
Fiberon Concordia has been tested to be compliant with the 2012/2015 IRC, Section R104.11 and Section R703, and the 2012/2015 IBC Section 1403.2, Section 1404.1, and Section 1405.17. It has also met the requirements of ASTM D1929 and ASTM D635, making it compliant with fire ignition and rate of burning standards, and NFPA 268, certifying that it has a low propensity to ignite in the presence of a radiant heat source. It has also met the requirements of Miami-Dade County Florida High Wind Testing protocols TAS 201/202/203, certifying that it is tested to withstand high-velocity hurricane-zone-level winds through cyclical, uniform loading, and large and small missile testing when installed in accordance with Fiber Composites, LLC's written installation instructions.






# fiberon For Alternative Uses

### Imagine the possibilities.

Fiberon\* decking provides almost unlimited creative options for the inspired designer. With options approved for use in cladding applications, Fiberon decking can complete or complement any commercial or residential project. Fiberon decking's high-performance material and authentic wooden look provide design versatility.

	On-Grade Façade	<b>√</b>
	Above-Grade Façade	<b>√</b>
	Soffit	<b>√</b>
	Ceiling	<b>√</b>
	Vertical	<b>√</b>
SH	Horizontal	<b>√</b>
	Diagonal	<b>√</b>


### Concordia<sup>™</sup> Symmetry<sup>®</sup> Collection



### Concordia<sup>™</sup> Horizon<sup>®</sup> Collection



- Fiberon Concordia decking is suitable for cladding applications and includes two distinct finishes.
- High-performance reliability backed by industry-leading warranties.
- Durable composite core ensures exceptional resistance to rotting, cracking, insects and decay.
- Variety of lengths and widths provides more design solutions, and longer lengths result in fewer seams for a cleaner aesthetic.\*


















- Choose boards that complement your decking or create a space that's uniquely you.
- Easy to install (no special tools or trade-specific labour needed).
- Low-maintenance composite material that never needs sanding, staining or sealing.
- Contains 94% recycled content.
- Innovative PermaTech® cap layer provides superior stain and fade resistance.



Note: Some product installations and configurations shown are not covered by the Fiberon warranty. See your Fiberon seller or visit fiberondecking.com/resources/warranty-registration for details on limited warranties and exclusions.

24 \*Decking, fascia and riser length and width options vary by product line.



# Colour

### Make a statement.

Picture your perfect outdoor living space. Is it a serene retreat, designed for relaxing at the end of a long day? Or is it sleek and stylish, ideal for elegant outdoor dinner parties?


The board colour you select will influence the look and feel of your outdoor space, from subtle, subdued shades that blend with your surroundings to bold, modern hues that provide show-stopping contrast. Each Fiberon® decking collection comes in a variety of nature-inspired, on-trend colours featuring realistic grain patterns.

For a casual, laid-back look, choose cool-toned browns like Bungalow and Sandstone. If you're looking for something more modern, consider mid-tone finishes like Natural Reef, Latte and Espresso. Classic finishes such as Sandy Pier, Weathered Cliff and Moonlit Cove provide a traditional aesthetic.

Mix and match colours within your selected decking collection to create a unique, two-toned look with depth and personality.

### Golden Browns

Warm and natural, these shades complement any architecture.



### **Reddish Browns**

For warmth, energy and landscaping that stands out, choose a reddish hue.





### Greys

Grey evokes thoughts of rocky shorelines and weathered wood.















Classic Browns

Choose a classic shade of brown to

add depth and drama to your space.












# Railings

Change your outlook.

Discover beautiful, durable railing options to complete your outdoor living space. Fiberon® railing is available in a variety of styles and colours that can be paired with any of our decking options to create a custom look for your home.





Brio



# fiberon CountrySide

# Strong is stylish.

From its understated satin finish to its clever sub-rail reinforcement CountrySide Railing is the ideal balance of beauty and strength. The sculpted top rail imparts a touch of sophistication. Three colour choices and two spindle infill options create multiple designs. The smart composite construction and protective bonded cap layer are engineered for performance and longevity.

- Refined satin finish adds elegance.
- PVC composite construction ensures lasting durability.
- Reinforced top rail provides a strong, sturdy feel.
- Hidden hardware gives a clean look.
- Compatible with an accessible handrail system, available via special order.



- Create a Line or Stair section with any kit.
  - Kits available in
    - o 914 mm and 1067 mm heights.
    - o 1.83 m and 2.44 m lengths.
    - o Line/stair sections with square bevelled composite spindles.
    - Line sections with round black aluminium spindles.
    - Stair sections with round black aluminium spindles.

These kits include top and bottom rails, sub-rails, spindles, crush blocks with holders and mounting hardware.

Note: Actual colours may vary from the samples and photography.

Tranquil White



Simply Brown




Serene Blac



Top Rail = 76 mm x 76 mm

Bottom Rail = 64 mm x 51 mm

30



## Maximise your view.

The sleek, minimalist design of CitySide railing maximises the view beyond your decking or veranda, while the durable, long-lasting aluminium construction minimises maintenance time and expense. Engineered with a pre-punched bottom rail for ease of installation, this lightweight railing solution delivers on reliability, beauty and performance.

- Clean lines and contemporary styling work with any architecture.
- Low-maintenance performance material reduces upkeep time and expense.
- Pre-punched bottom rail enables faster spindle installation.
- Premium powder-coated aluminium resists rust.
- No exposed welds or cuts helps to prevent injuries.
- End, Line and Corner Posts feature integral bracketing, providing a clean appearance and reducing installation time.
- Stair brackets are available for stair and angle installations with stair posts or Fiberon® composite posts.\*



- Line or Stair Kits
  - Line Kits
    - 914 mm height available in 1.83 m and 2.44 m lengths.1067 mm height available in 1.83 m and 2.44 m lengths.
  - Stair Kits
    - $\circ\,$  914 mm height available in 1.83 m and 2.44 m lengths.
    - o 1067 mm height available in 1.83 m length only.
- Posts (all come with cap and bottom trim)
  - Line Posts with attached welded brackets.
  - o End, Line, Corner
  - Stair Post without brackets (Stair/Multi-Angle Bracket sold separately).






Top Rail = 57 mm x 43 mm

Bottom Rail = 34 mm x 33 mm

<sup>\*</sup>Sold separately.



# Outdoor entertaining made easy.

Discover a flat, drink-friendly railing system made from a sturdy, low-maintenance composite. Fiberon® Brio railing is ideal for outdoor entertaining. Available in three essential colours including Tranquil White, Simply Brown and Serene Black, Brio railing is designed to complement all Fiberon decking.

- Can be customised to complement your home. Choose your railing colour, spindle material and colour, and spindle height to create a look that showcases your personal style.
- Easy to clean and does not need to be stained or painted.
- Multiple size options are available to accommodate any project.
- Easy to assemble and install.
- Made from low-maintenance PVC composite.
- Compatible with an accessible handrail system, available via special order.



- All Line or Stair Kits available in
  - 914 mm and 1067 mm heights.
  - 1.83 m and 2.44 m lengths.
- Infill Options
  - Square composite balusters.
  - Round Black Aluminium Spindles.

Note: Railing kits include top and bottom rails, spindles, crush blocks and mounting hardware. Choose from square hollow composite spindles or round black aluminium ones.

Tranquil White



Simply Brown



Serene Blac



Top Rail = 89 mm x 44 mm

Bottom Rail = 89 mm x 44 mm

# fiberon Railings

# Customise your space.




Round aluminium spindles appear to recede from view. Their shape and composition add contemporary flair, yet never detract from the surroundings.

Railing sections include top and bottom rails, square black aluminium spindles, spacer clips and crush block with screws. Railing brackets are sold separately or pre-welded to metal posts.


### Accessible Handrail


It's not an infill, but it is a valuable add-on to increase safety and mobility and ensure compliance with accessibility laws. Fiberon accessible handrails are offered by special order in 2642 mm lengths that can be connected using widely available connectors. Components are compatible with all of Fiberon's composite railing products. Choose from white or black, both featuring a gloss finish.











Matte Black



Square Black

Matte Black

Line Post 64 x 64 mm 64 x 64 mm



Corner Post 64 x 64 mm

Stair/Angle Post 64 x 64 mm

Post caps and skirts included.

37

# Technical Specifications

Railings	Brio	CountrySide	CitySide	
Profile Dimensions	Top Rail: 89 mm x 44 mm Bottom Rail: 89 mm x 44 mm	Top Rail: 76 mm x 76 mm Bottom Rail: 64 mm x 51 mm	Top Rail: 57 mm x 43 mm Bottom Rail: 34 mm x 33 mm	
Material	Premium quality composite with permanent PVC surface	Premium quality composite with permanent PVC surface	Aluminium	
Colours	Tranquil White, Simply Brown and Serene Black	Tranquil White, Simply Brown and Serene Black	Matte Black	
Limited Performance Warranty	25-year	25-year	25-year	
Line/Stair Sections	1.83 m and 2.44 m	1.83 m and 2.44 m	1.83 m and 2.44 m^	
Rail Heights	914 mm or 1067 mm railing heights	914 mm or 1067 mm railing heights	914 mm or 1067 mm railing heights	
Post Kit Components (Also sold separately. See page 34-35 for details.)	Post sleeve: 101.6 mm x 101.6 mm x 991 mm, 1143 mm or 2743 mm Post cap: 101.6 mm x 101.6 mm Post skirt: 101.6 mm x 101.6 mm	Post sleeve: 101.6 mm x 101.6 mm x 991 mm, 1143 mm or 2743 mm Post cap: 101.6 mm x 101.6 mm Post skirt: 101.6 mm x 101.6 mm	Post Kit includes: Surface Mount Post 64 mm x 64 mm x 978 mm or 1130 mm, Post Cap and Post Skirt	
	Post sleeve: 127 mm x 127 mm x 991 mm, 1143 mm or 2743 mm Post cap: 127 mm x 127 mm Post skirt: 127 mm x 127 mm	Post sleeve: 127 mm x 127 mm x 991 mm, 1143 mm or 2743 mm Post cap: 127 mm x 127 mm Post skirt: 127 mm x 127 mm	Post configuration options: 3 Posts with pre-welded brackets: End, Line and Corner 1 Post without pre-welded brackets: Stair/Angle	
Available Spindle Styles, Profiles and Dimensions	Square Composite: 32 mm x 32 mm x 851 mm or 32 mm x 32 mm x 1003 mm	Bevelled Composite: 32 mm x 32 mm x 749 mm or 32 mm x 32 mm x 902 mm	Square Aluminium: 16 mm x 16 mm x 810 mm or 16 mm x 16 mm x 962 mm	
	Round Aluminium (Black): 16 mm diameter x 851 mm or 16 mm diameter x 1003 mm	Round Aluminium (Black): 19 mm diameter x 762 mm or 19 mm diameter x 914 mm		

<sup>^ 1067</sup> mm x 2 44 m stair section not available



fiberon



# Decking Fasteners



Engineered for optimal performance and universal adaptability for any Fiberon® decking, these fasteners are designed to enhance the overall finish of your decking project while offering flexibility to suit a varied range of uses and applications.

# Hidden Grooved Fastening Systems




This popular choice offers versatile solutions for grooved decking boards to create a smooth, flawless surface.







# Face-fastening Systems



Our most economical option – designed for project efficiency by combining the simplicity of Fiberon square-edged boards with standard or colour-matched face-fastening applications.



or



# floeron Hidden Grooved Fastening Systems

# How They Work

Hidden clips ensure a smooth surface and more seamless transition from indoor to outdoor spaces.





Install decking in half the time with award-winning EDGE and EDGEX Clips. EDGE Clips are for 90-degree decking patterns. EDGEX Clips are for use with any decking pattern. They are preassembled, one-pass fasteners with no partial installation required.

For the Phantom universal fastener, the clip is installed into the groove. Then, a screw is driven straight down into the joist (90-degree angle).





Fiberon and CAMO create products for the consumer who wants to install beautiful decking and have the best experience possible. We value trusted products that are easy to use and help to build perfect decking, every time. As the industry professionals' first choice, and with a first-class consumer warranty, this partnership is bound to build for a lifetime.

# Fiberon EDGE, EDGEX and EDGEXMETAL Clips

- Install decking in half the time with award-winning Fiberon EDGE and EDGEX clips.
- Fiberon EDGE and EDGEX Clips are designed for use on all grooved decking, including PE and PVC.
- Fiberon EDGE Clips are for 90-degree decking patterns.
- Fiberon EDGEX Clips are for use with any decking pattern.
- Pre-assembled, one-pass fasteners do not require partial installation and are easier to install with the included NEVER-MISS™ Guide.
- Clips creates 5 mm spacing.
- Gusset holds the board down, is up to 88% stronger than competitors' clips in lateral movement tests and up to 50% stronger than competitors' clips in uplift holding power tests.\*
- Fiberon EDGEXMETAL Clips are available with a no. 7 x 50.8 mm 410 stainless steel screw with drill bit, no. 2 tip for 14-18 gauge (1.2-1.9 mm) metal framing.

# Fiberon® STARTER Clip

- Achieve a fastener-free decking surface on any grooved board.
- Versatile clip that is easy to install and can also be used as an L-bracket.





# Fiberon® Phantom® Universal Hidden Fastener

- Easy to install, helps minimise lateral board movement and works with most leading grooved composite decking brands.
- Black HDPE fastener with pre-inserted screw practically disappears between decking boards.
- Carbon steel-coated screw helps prevent rust and corrosion.
- Pre-inserted screw enables easy one-touch installation.
- Self-gapping design ensures consistent 5 mm spacing between every board.







# fiberon Face-fastening Systems

# How They Work

Colour-matched plugs and screws camouflage screw heads across the decking surface, stairs and perimeter boards.



The PRO PLUG® SYSTEM is a superior and easy-to-install plug fastening system for PVC/composite decking and PVC trim. Drill and set each screw, then tap in the colour-matched plug with a hammer for a smooth finish.



Colour-matched screws are designed to provide a clean, smooth and uniform finish in composite and PVC decking and fascia.

Choose from a variety of curated colours to match Fiberon decking or fascia.

# Hidden Plug Systems

# Starborn® PRO PLUG® SYSTEM Decking

- Package includes PVC/Composite tool, screws and plugs.
- Plugs are made from Fiberon® decking material for a perfect match.
- PVC/Composite tool features Auto-Stop™ clutch mechanism.
- Pro Plug system for decking is available for use with all Fiberon products, including Good Life decking boards that have a relief bottom.

### Starborn PRO PLUG SYSTEM Fascia

Consists of two components: Fascia Plug Tool Set/Fascia Plug and Screw Kit.

- Fascia Plug Tool Set features an Auto-Stop™ bit for setting ideal screw depth and creates perfectly-sized holes for boards to expand and contract freely.
- Plugs are made from composite decking fascia material for a perfect match.
- Can be used with composite risers.
- Fascia Plug Tool Set sold separately.
- Not available for PVC Fascia systems.





# Colour-matched Screws

# Cap-Tor® xd Colour-Matched Screws

- Cap-Tor xd screws are colour matched to Fiberon decking.
- Available for WPC and PVC decking boards.
- Epoxy-coated carbon steel (T-20 Star bit included).
- 305 grade stainless steel version also available (T-20 Star bit included).
- Use with Smart-Bit® Depth Setter for perfect depth setting every time (Part no.: SCREW CTBRD BIT, sold separately).

# Starborn Fascia System


- Pre-drilling and countersinking Fascia Tool with patented Smart-Bit technology.
- Designed to handle the expansion and contraction that can occur with decking fascia boards.
- Screws are colour matched to Fiberon fascia.
- Epoxy-coated carbon steel screws (T-20 Star bit included).
- Fascia Tool bit sold separately (Part no.: SCREW CTFS BIT).
- Also for use on riser boards.







# **CAMO**® Tools Install decking up to 5X faster.\*



# CAMO® DRIVE™

Install decking up to 5X faster with the cordless standing decking fastening tool that attaches to your drill.

- Installs Fiberon® EDGE® and Fiberon EDGEX® Clips.
- Standing tool allows you to install faster than other methods and is also easier on your body.
- Tool is easy to use adjustable handle, quick-change button to swap out included fastening guides, simple to load the bit and attach to your drill.
- Also fastens CAMO Collated EDGE Decking Screws and CAMO Collated Face Screws (available from CAMO).
- Replacement T-15 Drive<sup>™</sup> bits are available.



### CAMO® LEVER®

Straightens and locks in decking boards.

- Speeds up the installation of grooved decking locks in rows of boards and clips before fastening.
- Strong enough to straighten warped boards.
- Can be adjusted for wood and metal joists 38 mm 76 mm wide for job-site versatility.
- Multi-directional lever locks in one turn.
- Use 2–4 LEVERS along the length of the decking for the best clip installation experience with consistent board spacing.

### CAMO DRIVE & LEVER

- One-year warranty from CAMO.
- Sold through Fiberon's distribution partners.

# SPECIFICATIONS | Fastening Systems

		Product	Primary Uses	Product Compatibility	Hidden Applications	Decking Surfaces/Ramps	Perimeter Boards
	S	EDGE	90-degree Installations	All PE/PVC Decking	✓	✓	
	Hidden Grooved Fastening Systems	EDGEX and EDGEXMETAL	90-degree or Angled Installations	All PE/PVC Decking	✓	✓	
		Phantom Universal	90-degree or Angled Installations	All PE Decking	✓	✓	
		Starter Clips	First and Last Boards	All PE/PVC Decking	✓		✓
		PRO PLUG SYSTEM Decking	Stair Tread or Perimeter Boards	Promenade, Paramount, Concordia, Sanctuary and Good Life Decking	✓	✓	✓
	Hidden Face Fastener	Cap-Tor xd Colour-Matched Screws	Square-Edged Decking Boards	All PE/PVC Decking		✓	✓
		PRO PLUG SYSTEM Fascia	Fascia or Riser Boards	All PE Fascia and Risers	✓		
	Hid	Starborn Fascia System with Colour-Matched Screws	Fascia or Riser Boards	All PE/PVC Fascia Boards and Risers			

Product	Pack Size	Coverage	Pack Contents
EDGE	90 pc Pail	4.65 m <sup>2</sup>	
	450 pc Pail	23.23 m <sup>2</sup>	No. 7 x 57 mm 410 stainless steel screws with T-15 drive head for
	900 pc Pail	46.45 m <sup>2</sup>	EDGE and EDGEX
	90 pc Pail	4.65 m <sup>2</sup>	No. 7 x 50.8 mm 410 stainless steel screw, drill bit and
EDGEX	450 pc Pail	23.23 m <sup>2</sup>	T-15 drive head for Fiberon EDGEXMETAL
	900 pc Pail	46.45 m²	304 stainless-steel gusset creates 5 mm spacing
	90 pc Pail	4.65 m <sup>2</sup>	• NEVER-MISS" Guide
EDGEXMETAL	450 pc Pail	23.225 m <sup>2</sup>	T-15 driver bit(s)
PRO PLUG SYSTEM Decking*	224 pc Box	30 l/m ^	No. 10 x 70 mm epoxy-coated carbon steel screws and T-20 drive head 300 colour-matched plugs ProPlug screw setting tool included (not sold separately).
	100 pc Stainless Box	23 l/m	No. 10 x 64 mm 305 grade stainless steel screws and T-20 drive head with bit
Cap-Tor xd	350 pc Stainless Box	9.29 m <sup>2</sup>	No. 10 x 64 mm 305 grade stainless steel screws and T-20 drive head with bit
Colour-Matched Screws*	350 pc Box	9.29 m <sup>2</sup>	No. 10 x 70 mm epoxy-coated carbon steel screws and T-20 drive head with bit
	1750 pc Bucket	46.45 m <sup>2</sup>	No. 10 x 70 mm epoxy-coated carbon steel screws and T-20 drive head with two bits
PRO PLUG SYSTEM Fascia*	100 pc Box	15 l/m	No. 10 x 48 mm epoxy-coated carbon steel screws and T-20 drive head (Fascia drill bit kit sold separately - part no.: SCREW PPFS BIT). 100 colour-matched plugs
Starborn Fascia System*	100 pc Box	15 l/m	No. 10 x 48 mm epoxy-coated carbon steel screws and T-20 drive head (Fascia drill bit sold separately - part no.: SCREW CTFS BIT).
Phantom Universal	90 pc Pail 900 pc Bucket	4.65 m <sup>2</sup> 46.45 m <sup>2</sup>	No. 7 x 41 mm coated carbon steel screws with T-15 drive head
STARTER Clips	25 pc Blister Pack	9 l/m	30 mm 304 stainless-steel screws with T-15 drive head

\*Alternative pack sizes and screw options available through Starborn.

^Based on 406 mm on-centre framing.

<sup>\*</sup>Fasten clips with DRIVE to install up to 5X faster.



P

fiberondecking.com | +1 800 573 8841

©2022 Fiberon. All rights reserved. FIBERON and the Fiberon logo are trademarks of Fiber Composites, LLC. Trademarks are registered in the US and may also be registered internationally.

(a)